



## WHO WE ARE

---

We are a part of Foam Conversion Ltd - UK leaders in technical foams and custom foam conversion for manufacturers.

## WHAT WE DO

---

Here at Audio, we specialize in manufacture of windshields for microphones. If you own a radio station, work for a tv station, have an event coming up or broadcast via Internet, then you have a chance to make it more recognizable and look even more professional!

## HOW THINGS WORK

---

From concept to reality - we offer 'start-to-finish' solution, and all that in-house in 7 simple steps:

- DESIGN
- QUOTATION
- PRODUCTION
- PRINTING
- QUALITY CONTROL
- SHIPPING

## HOW IT WORKS?

---

### ASK FOR A QUOTE

Fill out a form on our website or drop us an email asking for a quote. What we need to know is: microphone model (or **external dimensions of the mic's barrel/capsule**), quantity (quantity affects the unit price), preferred windshield colour (Pantone® reference recommended) and/or logo files if you wish for printed windshields

**(logo formats we accept: .ai, .eps, .pdf, .cdr or a high resolution .jpg or .bmp).**

### RECEIVE PREVIEW

Once we collect all information to proceed with the design we will prepare and send you a few files with preview of what you asked for. It usually takes up to few hours.

### CHOOSE WHAT YOU LIKE

If you like what you see, just approve the desired file and let us know!

### LET THE PRODUCTION BEGIN

When we receive approval from you the magic begins. It usually takes 3 weeks for the order to be complete and shipped to you. If you are in a rush, let us know while enquiring and depending on the stock, production schedule etc. we can ship the order out within a week.

## WHAT WE OFFER

### WINDSHIELD SHAPES

We offer spherical, cylindrical, 3-sided or 4-sided windshields with variety of dimensions to suit all needs. If you have any special requirements we can make a custom made windshield just for you!

### WINDSHIELD COLOUR

If you want printed windshields, send us your logo first to help choose a colour that suits it best, otherwise just let us know of your needs. Pantone reference strongly advised.

### WINDSHIELD COLOUR FINISH




We offer windshields in two cover finishes: raw foam finish (we stock six basic foam colours - black, white, red, blue, green, yellow) and flocked finish (brushed velvet finish matched to the provided Pantone® reference).

### PRINT FINISHES

You can choose one of three different print types: up to 4 colour cutflock (velour finish, wide choice of solid colours), full colour sublimation print, or a mix of cutflock and sublimation.

## DECIPHER OUR WINDSHIELD CODE

C	21	01
S	12	03
windshiled shape	windshiled model	hole size


-  T - triangular
-  C - cylindrical
-  S - square

## AVAILABLE HOLE SIZES

\*custom hole sizes by request


### Reporter range holze sizes

- 01 hole size Ø 17mm
- 02 hole size Ø 23mm
- 03 hole size Ø 35mm
- 04 hole size Ø 40mm
- 05 Ø30 to 40mm contoured hole
- 06 Ø36 to 46mm contoured hole



### Studio range holze sizes

- C2101 - Ø 45mm
- C2102 - Ø 55mm
- C2400 - Ø 60mm
- C2100-40 - Ø 40mm
- C2100-50 - Ø 50mm



## C1100

### Dimensions

90mm (W) x 90 (H)

### Available Bore dia


17mm/23mm/30mm/35mm/40mm

### Special Bores

Rode Go

30/40 Contoured bore

36/46 Contoured bore



## C1200

### Dimensions

80mm (W) x 80 (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores


Rode Go

30/40 Contoured bore

36/46 Contoured bore

### Recommended

Use with Rode Go



## C1300

### Dimensions

70mm (W) x 90 (H)


### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores

30/40 Contoured bore

36/46 Contoured bore





## C1400

### Dimensions


70mm (W) x 100 (H)

### Available Bore dia

17mm/23mm/30mm/35mm

### Special Bores

30/40 Contoured bore



## C1500

### Dimensions


67mm (W) x 67 (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores

30/40 Contoured bore



## C1600

### Dimensions

70mm (W) x 95 (H)


### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores

30/40 Contoured bore

36/46 Contoured bore



## C1800

### Dimensions

70mm (W) x 100 (H)


### Available Bore dia

17mm/23mm/30mm/35mm

### Special Bores

30/40 Contoured bore

36/46 Contoured bore



## C1900

### Dimensions

70mm (W) x 67 (H)


### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores

30/40 Contoured bore

36/46 Contoured bore



## 90sph


### Dimensions

90mm (W) x 80-85 (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores



## HANDHELD REPORTER STYLE

### C4100


#### Dimensions

60mm (W) x 105 (H)

#### Available Bore dia

17mm/23mm/30mm/35mm

#### Special Bores



### C4200

#### Dimensions

80mm (W) x 115 (H)


#### Available Bore dia

17mm/23mm/30mm/35mm/40mm

#### Special Bores

30/40 Contoured bore

36/46 Contoured bore



### C4300


#### Dimensions

53mm (W) x 70 (H)

#### Available Bore dia

17mm/23mm/30mm

#### Special Bores



## HANDHELD REPORTER STYLE

### C4400

#### Dimensions

80mm (W) x 90 (H)

#### Available Bore dia

17mm/23mm/30mm/35mm/40mm

#### Special Bores


Rode Go  
30/40 Contoured bore  
36/46 Contoured bore

#### Recommended

Use with Rode Go

#### Special Models

C44spt with triangular flag attached



### C4500


#### Dimensions

68mm (W) x 100 (H)

#### Available Bore dia

17mm/23mm/30mm

#### Special Bores



### C4600

#### Dimensions


90mm (W) x 105 (H)

#### Available Bore dia

17mm/23mm/30mm

#### Special Bores

30/40 Contoured bore  
36/46 Contoured bore



## C4700

### Dimensions

80mm (W) x 100 (H)

### Available Bore dia


17mm/23mm/30mm/35mm/40mm

### Special Bores

Rode Go / Contoured bore

### Recommended

Use with Rode Go



## C4800

### Dimensions


85mm (W) x 110 (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores

Rode Go / Contoured bore



## C5300


### Dimensions

67mm (W) x 82 (H)

### Available Bore dia

17mm/23mm/30mm

### Special Bores



## C5400


### Dimensions

70mm (W) x 180 (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores



## C5500


### Dimensions

70mm (W) x 210 (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores



## T1100

### Dimensions

83mm (W) x 92 (H)

### Available Bore dia


17mm/23mm/30mm/35mm/40mm

### Special Bores

Rode Go  
30/40 Contoured bore  
36/46 Contoured bore

### Special Models

T1100 Large 90x100mm



## T1200

### Dimensions


70mm (W) x 135 (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Comments

Not advised for use with  
larger head microphones such as  
Shure SM58 or similar



## T1300

### Dimensions


85mm (W) x 90 (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores

Rode Go  
30/40 Contoured bore  
36/46 Contoured bore



## T1400

### Dimensions

80mm (W) x 120mm (H)


### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores

30/40 Contoured bore

36/46 Contoured bore



## T1500

### Dimensions


70mm (W) x 95mm (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Comments

Not advised for use with  
larger head microphones such as  
Shure SM58 or similar



## T1600

### Dimensions

82mm (W) x 105mm (H)


### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores

30/40 Contoured bore

36/46 Contoured bore





## T2110

### Dimensions


76mm (W) x 110 (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores

30/40 Contoured bore



## T2210

### Dimensions


70mm (W) x 135 (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores

30/40 Contoured bore



## T2310

### Dimensions


76mm (W) x 190 (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Special Bores

30/40 Contoured bore



## HANDHELD REPORTER STYLE

### S1100

#### Dimensions

75mm (W) x 103 (H)  
Face width 62mm

#### Available Bore dia


17mm/23mm/30mm/35mm/40mm

#### Special Bores

Rode Go  
30/40 contoured bore  
36/46 contoured bore

#### Special Models

S1100 Large 70x110mm  
S11sps with square flag attached



### S1200

#### Dimensions

75mm (W) x 120 (H)  
Face width 65mm


#### Available Bore dia

17mm/23mm/30mm/35mm/40mm

#### Special Bores

30/40 contoured bore  
36/46 contoured bore

#### Special Models



### S1300

#### Dimensions

80mm (W) x 120 (H)  
Face width 70mm


#### Available Bore dia

17mm/23mm/30mm/35mm/40mm

#### Special Bores

30/40 contoured bore  
36/46 contoured bore

#### Special Models



## HANDHELD REPORTER STYLE

### S1400

#### Dimensions

80mm (W) x 80mm (H)

#### Available Bore dia


17mm/23mm/30mm/35mm/40mm

#### Special Bores

Rode Go  
30/40 contoured bore  
36/46 contoured bore

#### Special Models

S1400 special 80x120 or 150mm



### S1500

#### Dimensions

64mm (W) x 88 (H)  
Face width 52mm

#### Available Bore dia


17mm/23mm/30mm/35mm/40mm

#### Special Bores

30/40 contoured bore  
36/46 contoured bore

#### Comments

Not recommended for larger diameter microphones



### S1600

#### Dimensions

78mm (W) x 105 (H)  
Face width 68mm


#### Available Bore dia

17mm/23mm/30mm/35mm/40mm

#### Special Bores

30/40 contoured bore  
36/46 contoured bore

#### Special Models



## HANDHELD REPORTER STYLE

### S1700

#### Dimensions

70mm (W) x 90mm (H)  
Face width 60mm


#### Available Bore dia

17mm/23mm/30mm/35mm/40mm

#### Special Bores

30/40 contoured bore  
36/46 contoured bore

#### Comments




### S1800

#### Dimensions

70mm (W) x 88mm (H)

#### Available Bore dia

17mm/23mm/30mm/35mm/40mm



### S1900

#### Dimensions

80mm (W) x 105mm (H)  
Face width 65mm


#### Available Bore dia

17mm/23mm/30mm/35mm/40mm

#### Special Bores

30/40 contoured bore  
36/46 contoured bore

#### Comments



## HANDHELD REPORTER STYLE

### S2100

#### Dimensions

90mm (W) x 90mm (H)  
face width 75mm

#### Available Bore dia


17mm/23mm/30mm/35mm/40mm

#### Special Bores

30/40 contoured bore  
36/46 contoured bore

#### Comments

Similar shape to S1400 with rounded faces



### S2200

#### Dimensions

90mm (W) x 120mm (H)  
face width 75mm

#### Available Bore dia


17mm/23mm/30mm/35mm/40mm

#### Special Bores

30/40 contoured bore  
36/46 contoured bore

#### Comments

Similar shape to S1400 with rounded faces



## T13spt

### Dimensions


Windshield 85mm (W) x 105mm (H)  
Flag 95mm (W) x 30-35mm (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Comments

Not recommended for larger diameter microphones



## S11sps

### Dimensions


Windshield 75mm (W) x 103mm (H)  
Face width 62mm  
Flag 80mm (W) x 30-35mm (H)

### Available Bore dia

17mm/23mm/30mm/35mm/40mm

### Comments

Not recommended for larger diameter microphones



## C44spt

### Dimensions

Windshield 80mm (W) x 90mm (H)  
Flag 95mm (W) x 30-35mm (H)

### Available Bore dia


17mm/23mm/30mm/35mm/40mm

### Special Bores

Rode Go / Contoured bore

### Comments

Not recommended for larger diameter microphones



## C2100

### Dimensions


90mm (W) x 125 (H)

### Available Bore dia

40mm/45mm/50mm/55mm

### Special Bores

Stepped hole for Shure SM7



## C2200


### Dimensions

70mm (W) x 95 (H)

### Available Bore dia

40mm/45mm

### Special Bores



## C2300


### Dimensions

120mm (W) x 110 (H)

### Available Bore dia

45mm/55mm/60mm

### Special Bores



## C2400

### Dimensions


90mm (W) x 110mm (H)

### Available Bore dia

45mm/50mm/55mm/60mm

### Comments

Ideal for larger diameter condenser microphones



## T2400

### Dimensions


95mm (W) x 120mm (H)

### Available Bore dia

45mm/50mm/55mm

### Comments

Ideal for larger diameter condenser microphones



## C2500

### Dimensions


52mm (W) x 95mm (H)

### Available Bore dia

40mm

### Comments

Shure SM7 dedicated windshield





## C2600

### Dimensions


70mm (W) x 90mm (H)

### Available Bore dia

55mm

### Comments

Rode Podmic dedicated windshield



## C2700

### Dimensions


62mm (W) x 70mm (H)

### Available Bore dia

40mm

### Comments

Shure MV7 dedicated windshield




## C2800

### Dimensions

90mm (W) x 100mm (H)

### Available Bore dia

40/45/50/55 x 80mm



## 90sph C-LIP

### Dimensions

90mm (W) x 85 (H)


### Available Bore dia

head bore 40mm

handle bore 20mm

### Comments

Coles Lip Microphone



## C6100

### Dimensions

70mm (W) x 70mm (H)

### Available Bore dia


head bore 40mm

handle bore 20mm

### Comments

Coles Lip Microphone

Branding on 1,2 or 3 sides



## C3100

### Dimensions


52mm (W) x 120 (H)

### Available Bore dia

17mm/20mm/23mm x 100mm deep

### Comments

Print can be done for horizontal or vertical use



## C3200

### Dimensions


52mm (W) x 150 (H)

### Available Bore dia

17mm/20mm/23mm x 120mm deep

### Comments

Print can be done for horizontal or vertical use



## C3300

### Dimensions


52mm (W) x 180 (H)

### Available Bore dia

17mm/20mm/23mm x 150mm deep

### Comments

Print can be done for horizontal or vertical use



## C3400

### Dimensions


52mm (W) x 210 (H)

### Available Bore dia

17mm/20mm/23mm x 180mm deep

### Comments

Print can be done for horizontal or vertical use



## T3100

### Dimensions


76mm (W) x 150mm (H)

### Available Bore dia

17mm/23mm/30mm x 120mm deep

### Comments

Not suitable for reporter style large diameter head microphones



## T3200

### Dimensions


76mm (W) x 180mm (H)

### Available Bore dia

17mm/23mm/30mm x 150mm deep

### Comments

Not suitable for reporter style large diameter head microphones



## T3300

### Dimensions


70mm (W) x 210mm (H)

### Available Bore dia

17mm/23mm/30mm x 180mm deep

### Comments

Not suitable for reporter style large diameter head microphones



## S3100

### Dimensions


75mm (W) x 150mm (H)  
Face width 55mm

### Available Bore dia

17mm/23mm/30mm x 120mm deep

### Comments

Not suitable for reporter style large diameter head microphones



## S3200

### Dimensions


75mm (W) x 180mm (H)  
Face width 60mm

### Available Bore dia

17mm/23mm/30mm x 150mm deep

### Comments

Not suitable for reporter style large diameter head microphones



## S3300

### Dimensions


75mm (W) x 210mm (H)  
Face width 60mm

### Available Bore dia

17mm/23mm/30mm x 180mm deep

### Comments

Not suitable for reporter style large diameter head microphones




## iWS

### Dimensions


95mm (W) x 45mm (H)

### Dedicated for use with

iPhone models: 6/7/8 Plus Series  
iPhone models: XR/XS/11/12



Bottom and Cross Section View




## SWS

### Dimensions


90mm (W) x 45mm (H)

### Dedicated for use with

Samsung Galaxy mobile phones



Bottom and Cross Section View





## ZOOM

### Dimensions

90mm (W) x 55mm (H) x 45mm (D)  
ID 60x30mm or 55x25mm

### Dedicated for use with

Zoom recorders H2 H4




## T-Flag

**Dimensions**

95mm (W) x 30-40mm (H)

**Available Bore dia**

23mm

**Comments**


## S-Flag

**Dimensions**

80mm (W) x 30-40mm (H)

**Available Bore dia**

23mm

**Comments**


## C-Flag

**Dimensions**

80mm (W) x 30-40mm (H)

**Available Bore dia**

23mm

**Comments**

## HEADSETS FCWS

### Dimensions

Various sizes available from 15x20mm

### Available Bore dia


Ø 5/7/10mm

### Special Bores

Special bores available on request

### Comments

Depending on type of artwork, branding can be done on both sides or one side only



## BESPOKE

We like to be challenged with new shapes and special requests and have extensive portfolio of bespoke gimmiky shapes.



## **WHERE WE ARE**

### **ADDRESS**

Foam Conversion (UK) Ltd.  
Units 8&9 Lyon Close  
Woburn Road Industrial Estate  
Kempston, Bedfordshire  
MK42 7SB, United Kingdom

### **TELEPHONE**

+44 (0) 1234 843737

### **FAX**

+44 (0) 1234 857272

### **E-MAIL**

audio@foamconversion.com

### **FOAM CONVERSION**

www.microphonewindshields.com



### **SOCIAL MEDIA**

